


























CROSS SECTION	DESCRIPTION	STOCK LENGTH	MILL FINISH	CLEAR ANODIZED	BRONZE ANODIZED	BLACK ANODIZED
	1/2" x 1/2" x 1/2" U-CHANNEL (12.5mm x 12.5mm x 12.5mm) 1/8" (3.2mm) Wall thickness	3.65 m		✓	✓	✓
	5/8" x 1/2" x 5/8" U-CHANNEL (15.9mm x 12.5mm x 15.9mm) 1/16" (1.6mm) Wall Thickness	4.6 m		✓	✓	✓
	3/4" x 3/4" x 3/4" U-CHANNEL (19.1mm x 19.1mm x 19.1mm) 1/16" (1.6mm) Wall thickness	7.315 m		✓	✓	✓
	3/4" x 1" x 3/4" U-CHANNEL (19.1mm x 25.4 x 19.1mm) 1/16" (1.6mm) Wall Thickness	3.65 m	✓			
	1 1/2" x 7/8" x 1 1/2" U-CHANNEL (38.1mm x 22.2mm x 38.1mm) 1/8" (3.2mm) Wall thickness For 12.5mm Glazing	5.85 m	✓	✓	✓	✓
	3/4" x 7/8" x 3/4" U-CHANNEL (19.1mm x 22.2mm x 19.1mm) 1/8" (3.2mm) Wall thickness For 12.5mm Glazing	7.315 m	✓	✓	✓	✓
	1 3/16" x 9/16" x 1 3/16" U-CHANNEL (30.2mm x 14.3mm x 30.2mm) 1/16" (1.6mm) Wall thickness For 9.5mm Glazing	7.315 m	✓	✓	✓	✓
	3/4" x 9/16" x 3/4" U-CHANNEL (19.1mm x 14.3mm x 19.1mm) 1/16" (1.6mm) Wall thickness For 9.5mm Glazing	4.6 m	✓	✓	✓	✓
	3/4" x 1 1/2" x 3/4" U-CHANNEL (19.1mm x 38.1mm x 19.1mm) 1/8" (3.2mm) Wall thickness	4.6 m	✓			

**More than 50 Years of Manufacturing Innovative Aluminum Doors, Frames, Curtain Walls, Windows and Vents**

CROSS SECTION	DESCRIPTION	STOCK LENGTH	MILL FINISH	CLEAR ANODIZED	BRONZE ANODIZED	BLACK ANODIZED
	1/4" X 1 1/2" FLAT BAR (6 mm X 38mm)	4.6 m		✓	✓	✓
	3/4" X 1 1/2" FLAT BAR (19 mm X 38mm)	7.315 m	✓	✓	✓	✓
	5/8" X 7/8" FLAT BAR (16 mm X 22mm) PUSHBAR	6.71 m	✓	✓	✓	✓
	1/8" X 2" FLAT BAR (3 mm X 51mm)	4.6 m	UPON REQUEST	✓	✓	✓
	3/8" X 2" FLAT BAR (10 mm X 51mm)	3.65 m	✓			
	1/2" X 2" FLAT BAR (13 mm X 51mm)	4.6 m	✓			
	1/4" X 4" FLAT BAR (6 mm X 102mm)	4.6 m	✓	✓	✓	✓
	1/4" X 6" FLAT BAR (6 mm X 152mm)	4.6 m	✓			

**More than 50 Years of Manufacturing Innovative Aluminum Doors, Frames, Curtain Walls, Windows and Vents**

CROSS SECTION	DESCRIPTION	STOCK LENGTH	MILL FINISH	CLEAR ANODIZED	BRONZE ANODIZED	BLACK ANODIZED
	1/2" X 1/2" X 3/32" ANGLE (13mm X 13mm X 1.6mm)	3.65 m		✓		
	5/8" X 5/8" X 1/16" ANGLE (16mm X 16mm X 1.6mm)	3.65 m		✓	✓	✓
	3/4" X 3/4" X 3/32" ANGLE (19mm X 19mm X 2.4mm)	3.65 m		✓	✓	✓
	1" X 1" X 3/32" ANGLE (25mm X 25mm X 2.4mm)	7.315 m		✓	✓	✓
	1" X 2" X 1/8" ANGLE (25mm X 51mm X 3mm)	7.315 m	✓	✓	✓	✓
	1 1/2" X 1 1/2" X 1/8" ANGLE (38mm X 38mm X 3mm)	7.315 m	✓	✓	✓	✓
	7/8" X 2" X 3/32" ANGLE (22mm X 51mm X 2.4mm) INSTALL ANGLE	7.315 m	✓			
	2" X 2" X 1/8" ANGLE (51mm X 51mm X 3mm)	7.315 m	✓	✓	✓	✓

**More than 50 Years of Manufacturing Innovative Aluminum Doors, Frames, Curtain Walls, Windows and Vents**

Bay 108 - 1626 115 Ave. N.E.

Calgary, Alberta T3K 2E4

Phone: 403-250-9290

Fax: 403-291-0599

[www.metroglass.ca](http://www.metroglass.ca)



CROSS SECTION	PART #	DESCRIPTION	STOCK LENGTH	FINISH/MATERIAL
	2465	F SERIES GLAZING SPLINE WEDGE BACK GASKET THICKNESS .090	500 ft ROLL	BLACK - POLY
	2338	GLAZING SPLINE WEDGE GASKET THICKNESS .120	500 ft ROLL	BLACK - POLY
	2330	F SERIES BACK GASKET	500 ft ROLL	BLACK - POLY
	2334	GLAZING SPLINE WEDGE GASKET THICKNESS .170	500 ft ROLL	BLACK - POLY
	2473	GLAZING SPLINE WEDGE GASKET THICKNESS .210	500 ft ROLL	BLACK - POLY
	2408	GLAZING SPLINE WEDGE GASKET THICKNESS .230	500 ft ROLL	BLACK - POLY
	B465G	DOOR LITE GLAZING GASKET	125 m ROLL	BLACK - POLY
	H646G	1/8" BACK SECTION GASKET	125 m ROLL	BLACK - POLY
	683	THERMAL BREAK	3.65 m EACH	BLACK - POLY

**More than 50 Years of Manufacturing Innovative Aluminum Doors, Frames, Curtain Walls, Windows and Vents**

Bay 108 - 1626 115 Ave. N.E. Calgary, Alberta T3K 2E4

Phone: 403-250-9290 Fax: 403-291-0599

[www.metroglass.ca](http://www.metroglass.ca)